

Site visit inspection report on compliance with HTA minimum standards

SCI Southampton

HTA licensing number 11053

Licensed for the

- **processing, storage and distribution of human tissues and cells for human application under the Human Tissue (Quality and Safety for Human Application) Regulations 2007; and**
- **storage of relevant material which has come from a human body for use for a scheduled purpose**

11 October 2016

Summary of inspection findings

The HTA found the Designated Individual, the Licence Holder, the premises and the practices to be suitable in accordance with the requirements of the legislation.

SCI Southampton (the establishment) was found to have met all HTA standards.

Particular examples of strengths and good practice are included in the concluding comments section of the report.

The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual, Licence Holder, premises and practices are suitable.

The statutory duties of the Designated Individual are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

Licensable activities carried out by the establishment

'E' = Establishment is licensed to carry out this activity.

Tissue type	Procurement	Processing	Testing	Storage	Distribution	Import	Export
PBSC		E		E	E		
BM		E		E	E		
Cells for DLI		E		E	E		
Ovarian Tissue		E		E	E		

Background to the establishment and description of inspection activities undertaken

NHS Blood and Transplant (NHSBT) is responsible for the operation of a series of stem cell processing laboratories that make up the Special Health Authority's Stem Cells and Immunotherapies (SCI) service. SCI Southampton (the establishment) is one of the stem cell processing laboratories that make up this function. The establishment is next to the University Hospital Southampton (UHS) and is also known as The Steve Mills Stem Cell Laboratory. SCI Southampton processes and stores approximately 350 PBSC units per year mostly for autologous use. Bone marrow processing is carried out rarely. The establishment has recently begun to process and store ovarian tissue from women that are due to undergo cancer treatment that may render them infertile. NHSBT has recently moved a number of liquid nitrogen stored units to SCI Southampton making this establishment a major storage facility within the SCI service. The establishment is accredited by the Joint Accreditation Committee – International Society for Cellular Therapy and the European Society for Blood and Marrow Transplantation (JACIE).

SCI Southampton has service level agreements (SLAs) in place with a number of establishments that are licensed by the HTA for the procurement and donor testing of PBSC,

BM and cells for DLI. Units that are received are checked for correct packaging and that there is a sufficient volume according to set limits for each type of product. PBSC are processed within the products laboratory using a closed sterile docking system or within a microbiological safety cabinet (MSC) in one of the establishment's two clean rooms (background grade B). Other stem cells and ovarian tissue are only processed within an MSC in the cleanroom. Products for cryopreservation are frozen in controlled-rate freezers and a printout detailing the freezing profile is included in the processing records.

A number of quality control checks are carried out on each tissue type. These are carried out on incoming materials, during processing, and on finished products as described in the appropriate standard operating procedures (SOPs). The tests include, for PBSC, total nucleated, mononuclear and CD34+ cell counts in starting and finished products prior to cryopreservation, and anaerobic and aerobic bacteriology cultures from the finished products prior to cryopreservation to ensure sterility. In addition, cell potency assays (colony formation units) are undertaken on cells which have been cryopreserved for more than five years. Ovarian tissue is examined for the appropriate thickness of tissue slices, the presence of primordial follicles and the absence of malignant cells. Anaerobic and aerobic bacteriology cultures are also performed on the solutions that have been in contact with the tissue as well as a sample of the final tissue product before cryopreservation. Environmental monitoring is carried out according to a national NHSBT procedure and local results are discussed at monthly quality meetings.

Overall governance of the SCI functions is achieved through the use of national NHSBT SOPs, monthly Senior Management Team meetings attended by Heads of all SCI laboratories and a quarterly Quality Forum attended by nominated quality representatives of all SCI laboratories. In addition SCI Southampton has regular operational meetings and attends meetings with the local clinical users of the SCI Southampton service.

This was a routine site visit to SCI Southampton and consisted of a visual inspection of the clean rooms, general laboratory areas and liquid nitrogen store. Interviews were carried out with the Laboratory Director, a specialist biomedical scientist for stem cells, a specialist BMS for ovarian tissue and the NHSBT Assistant Quality Director. A round table discussion of quality management at the site also took place. Documentation including SOPs, policies, service level agreements, training records, meeting minutes, equipment records and examples of quality incidents were looked at during the inspection. The inspection team also looked at processing records from four PBSC products and two ovarian tissue products. Traceability of units receipted into the establishment to storage locations as noted in computer records were also checked. An apparent deviation in the timing of donor testing was found for one ovarian tissue donation but confirmation of the correct testing regime was provided post inspection; there were no other anomalies found.

Inspection findings

The HTA found the Designated Individual and the Licence Holder to be suitable in accordance with the requirements of the legislation.

Compliance with HTA standards

All applicable HTA standards have been assessed as fully met.

Advice

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	GQ1r	The DI is advised to review the SLA with the Royal Bournemouth Hospital to ensure that the donor testing requirements for HTLV-1 match those that are actually carried out.
2.	GQ1b	The DI is advised to review the wording in SOP4586 to ensure that where HTLV testing is not carried out for all donors it is ensured that HTLV-1 antibody testing is performed for donors living in, or originating from high-prevalence areas, or with sexual partners originating from those areas or where the donor's parents originate from those areas. The SOP currently simply states that the donor should not be from an endemic region. However it is noted that all donors to date have been tested for HTLV antibodies.
3.	GQ7b	An incident involving the loss of a bag of PBSC due to cell leakage on thawing at the transplant unit was not reported as a serious adverse event. There was no impact on the patient in terms of engraftment because a second bag of cells was available however the DI is advised to report this to the HTA via the online serious adverse events and reactions (SAEARs) reporting portal. <i>Note – this incident was reported to the HTA before the publication of the final report.</i>

Concluding comments

A number of areas of good practice were identified during the site visit to SCI Southampton. There is a good relationship between the quality department staff and operational staff ensuring that changes are assessed, documents controlled and incidents reviewed and appropriate actions completed. There are comprehensive quality checks carried out on stem cell products on receipt, during processing, and on final products resulting in the release of well-characterised products.

The HTA has given advice to the Designated Individual with respect to SAEARs reporting and minor changes to an SOP and SLA.

The HTA has assessed the establishment as suitable to be licensed for the activities specified.

Report sent to DI for factual accuracy: 02 November 2016

Report returned from DI: No factual accuracy or request for redaction comments were made by the DI

Final report issued: 09 November 2016

Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

Human Tissue (Quality and Safety for Human Application) Regulations 2007 Standards

Governance and Quality

Standard
GQ1 All aspects of the establishment's work are supported by ratified documented policies and procedures as part of the overall governance process.
a) There is an organisational chart clearly defining the lines of accountability and reporting relationships.
b) There are procedures for all licensable activities that ensure integrity of tissue and / or cells and minimise the risk of contamination.
c) There are regular governance meetings, for example health and safety, risk management and clinical governance committees, which are recorded by agendas and minutes.
d) There is a document control system to ensure that changes to documents are reviewed, approved, dated and documented by an authorised person and only current documents are in use.
g) There are procedures to ensure that an authorised person verifies that tissues and / or cells received by the establishment meet required specifications.
h) There are procedures for the management and quarantine of non-conforming consignments or those with incomplete test results, to ensure no risk of cross contamination.
i) There are procedures to ensure tissues and / or cells are not released from quarantine until verification has been completed and recorded.
j) There are procedures detailing the critical materials and reagents used and where applicable, materials and reagents meet the standards laid down by the European directives on medical devices and in vitro diagnostic medical devices.
k) There is a procedure for handling returned products.
l) There are procedures to ensure that in the event of termination of activities for whatever reason, stored tissues and / or cells are transferred to another licensed establishment or establishments.
m) The criteria for allocating tissues and / or cells to patients and health care institutions are documented and made available to these parties on request.
n) The establishment ensures imports from non EEA states meet the standards of quality and safety set out in Directions 003/2010.
o) There is a complaints system in place.
p) There are written agreements with third parties whenever an activity takes place that has the potential to influence the quality and safety of human tissues and / or cells.
q) There is a record of agreements established with third parties.

r) Third party agreements specify the responsibilities of the third party and meet the requirements set out in Directions 003/2010.
s) Third party agreements specify that the third party will inform the establishment in the event of a serious adverse reaction or event.
t) There are procedures for the re-provision of service in an emergency.
GQ2 There is a documented system of quality management and audit.
a) There is a quality management system which ensures continuous and systematic improvement.
b) There is an internal audit system for all licensable activities.
c) An audit is conducted in an independent manner at least every two years to verify compliance with protocols and HTA standards, and any findings and corrective actions are documented.
d) Processes affecting the quality and safety of tissues and / or cells are validated and undergo regular evaluation to ensure they continue to achieve the intended results.
GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills.
a) There are clearly documented job descriptions for all staff.
b) There are orientation and induction programmes for new staff.
c) There are continuous professional development (CPD) plans for staff and attendance at training is recorded.
d) There is annual documented mandatory training (e.g. health and safety and fire).
e) Personnel are trained in all tasks relevant to their work and their competence is recorded.
f) There is a documented training programme that ensures that staff have adequate knowledge of the scientific and ethical principles relevant to their work, and the regulatory context.
g) There is a documented training programme that ensures that staff understand the organisational structure and the quality systems used within the establishment.
h) There is a system of staff appraisal.
i) Where appropriate, staff are registered with a professional or statutory body.
j) There are training and reference manuals available.
k) The establishment is sufficiently staffed to carry out its activities.
GQ4 There is a systematic and planned approach to the management of records.
a) There are procedures for the creation, identification, maintenance, access, amendment, retention and destruction of records.
b) There is a system for the regular audit of records and their content to check for completeness, legibility and accuracy and to resolve any discrepancies found.
c) Written records are legible and indelible. Records kept in other formats such as computerised

records are stored on a validated system.
d) There is a system for back-up / recovery in the event of loss of computerised records.
e) The establishment keeps a register of the types and quantities of tissues and / or cells that are procured, tested, preserved, processed, stored and distributed or otherwise disposed of, and on the origin and destination of tissues and cells intended for human application.
f) There are procedures to ensure that donor documentation, as specified by Directions 003/2010, is collected and maintained.
g) There is a system to ensure records are secure and that donor confidentiality is maintained in accordance with Directions 003/2010.
h) Raw data which are critical to the safety and quality of tissues and cells are kept for 10 years after the use, expiry date or disposal of tissues and / or cells.
i) The minimum data to ensure traceability from donor to recipient as required by Directions 003/2010 are kept for 30 years after the use, expiry or disposal of tissues and / or cells.
j) Records are kept of products and material coming into contact with the tissues and / or cells.
k) There are documented agreements with end users to ensure they record and store the data required by Directions 003/2010.
l) The establishment records the acceptance or rejection of tissue and / or cells that it receives and in the case of rejection why this rejection occurred.
m) In the event of termination of activities of the establishment a contingency plan to ensure records of traceability are maintained for 10 or 30 years as required.
GQ5 There are documented procedures for donor selection and exclusion, including donor criteria.
GQ6 A coding and records system facilitates traceability of tissues and / or cells, ensuring a robust audit trail.
a) There is a donor identification system which assigns a unique code to each donation and to each of the products associated with it.
b) An audit trail is maintained, which includes details of when the tissues and / or cells were acquired and from where, the uses to which the tissues and / or cells were put, when the tissues and / or cells were transferred elsewhere and to whom.
c) The establishment has procedures to ensure that tissues and / or cells imported, procured, processed, stored, distributed and exported are traceable from donor to recipient and vice versa.
GQ7 There are systems to ensure that all adverse events, reactions and/or incidents are investigated promptly.
a) There are procedures for the identification, reporting, investigation and recording of adverse events and reactions, including documentation of any corrective or preventative actions.
b) There is a system to receive and distribute national and local information (e.g. HTA regulatory alerts) and notify the HTA and other establishments as necessary of serious adverse events or reactions.
c) The responsibilities of personnel investigating adverse events and reactions are clearly defined.

d) There are procedures to identify and decide the fate of tissues and / or cells affected by an adverse event, reaction or deviation from the required quality and safety standards.
e) In the event of a recall, there are personnel authorised within the establishment to assess the need for a recall and if appropriate initiate and coordinate a recall.
f) There is an effective, documented recall procedure which includes a description of responsibilities and actions to be taken in the event of a recall including notification of the HTA and pre-defined times in which actions must be taken.
g) Establishments distributing tissue and / or cells provide information to end users on how to report a serious adverse event or reaction and have agreements with them specifying that they will report these events or reactions.
h) Establishments distributing tissues and / or cells have systems to receive notifications of serious adverse events and reactions from end users and notify the HTA.
GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately.
a) There are documented risk assessments for all practices and processes.
b) Risk assessments are reviewed regularly, as a minimum annually or when any changes are made that may affect the quality and safety of tissues and cells.
c) Staff can access risk assessments and are made aware of local hazards at training.
d) A documented risk assessment is carried out to decide the fate of any tissue and / or cells stored prior to the introduction of a new donor selection criteria or a new processing step, which enhances the quality and safety of tissue and / or cells.

Premises, Facilities and Equipment

Standard
PFE1 The premises are fit for purpose.
a) A risk assessment has been carried out of the premises to ensure that they are fit for purpose.
b) There are procedures to review and maintain the safety of staff, visitors and patients.
c) The premises have sufficient space for procedures to be carried out safely and efficiently.
e) There are procedures to ensure that the premises are secure and confidentiality is maintained.
f) There is access to a nominated, registered medical practitioner and / or a scientific advisor to provide advice and oversee the establishment's medical and scientific activities.
PFE2 Environmental controls are in place to avoid potential contamination.
a) Tissues and / or cells stored in quarantine are stored separately from tissue and / or cells that have been released from quarantine.
b) Where processing of tissues and / or cells involves exposure to the environment, it occurs in an appropriate, monitored environment as required by Directions 003/2010.
c) There are procedures for cleaning and decontamination.

d) Staff are provided with appropriate protective clothing and equipment that minimise the risk of contamination of tissue and / or cells and the risk of infection to themselves.
PFE3 There are appropriate facilities for the storage of tissues and / or cells, consumables and records.
a) Tissues, cells, consumables and records are stored in secure environments and precautions are taken to minimise risk of damage, theft or contamination.
b) There are systems to deal with emergencies on a 24 hour basis.
c) Tissues and / or cells are stored in controlled, monitored and recorded conditions that maintain tissue and / or cell integrity.
d) There is a documented, specified maximum storage period for tissues and / or cells.
PFE4 Systems are in place to protect the quality and integrity of tissues and / or cells during transport and delivery to its destination.
a) There is a system to ensure tissue and / or cells are not distributed until they meet the standards laid down by Directions 003/2010.
b) There are procedures for the transport of tissues and / or cells which reflect identified risks associated with transport.
c) There is a system to ensure that traceability of tissues and / or cells is maintained during transport.
d) Records are kept of transportation and delivery.
e) Tissues and / or cells are packaged and transported in a manner and under conditions that minimise the risk of contamination and ensure their safety and quality.
f) There are third party agreements with courier or transport companies to ensure that any specific transport conditions required are maintained.
g) Critical transport conditions required to maintain the properties of tissue and / or cells are defined and documented.
h) Packaging and containers used for transportation are validated to ensure they are fit for purpose.
i) Primary packaging containing tissues and / or cells is labelled with the information required by Directions.
j) Shipping packaging containing tissues and / or cells is labelled with the information required by Directions.
PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored.
a) Critical equipment and technical devices are identified, validated, regularly inspected and records are maintained.
b) Critical equipment is maintained and serviced in accordance with the manufacturer's instructions.
c) Equipment affecting critical processes and storage parameters is identified and monitored to detect malfunctions and defects and procedures are in place to take any corrective actions.

d) New and repaired equipment is validated before use and this is documented.
e) There are documented agreements with maintenance companies.
f) Cleaning, disinfection and sanitation of critical equipment is performed regularly and this is recorded.
g) Instruments and devices used for procurement are sterile, validated and regularly maintained.
h) Users have access to instructions for equipment and receive training in the use of equipment and maintenance where appropriate.
i) Staff are aware of how to report an equipment problem.
j) For each critical process, the materials, equipment and personnel are identified and documented.
k) There are contingency plans for equipment failure.

Disposal

Standard
D1 There is a clear and sensitive policy for disposing of tissues and / or cells.
a) The disposal policy complies with HTA's Codes of Practice.
b) The disposal procedure complies with Health and Safety recommendations.
c) There is a documented procedure on disposal which ensures that there is no cross contamination.
D2 The reasons for disposal and the methods used are carefully documented.
a) There is a procedure for tracking the disposal of tissue and / or cells that details the method and reason for disposal.
b) Disposal arrangements reflect (where applicable) the consent given for disposal.

Appendix 2: Classification of the level of shortfall (HA)

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the HT Act or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant direct risk of causing harm to a recipient patient or to a living donor,

Or

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the Human Tissue Act 2004 (HT Act) or associated Directions,

Or

A number of 'major' shortfalls, none of which is critical on its own, but viewed cumulatively represent a systemic failure and therefore are considered 'critical'.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall.

A shortfall in the carrying out of licensable activities which poses an indirect risk to the safety of a donor or a recipient

or

A shortfall in the establishment's quality and safety procedures which poses an indirect risk to the safety of a donor or a recipient;

or

A shortfall which indicates a major deviation from the **Human Tissue (Quality and Safety for Human Application) Regulations 2007** or the **HTA Directions**;

or

A shortfall which indicates a breach in the relevant Codes of Practices, the HT Act and other relevant professional and statutory guidelines;

or

A shortfall which indicates a failure to carry out satisfactory procedures or a failure on the part of the designated individual to fulfil his or her legal duties;

or

A combination of several 'minor' shortfalls, none of which is major on its own, but which, viewed cumulatively, could constitute a major shortfall.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

3. Minor shortfall:

A shortfall which cannot be classified as either critical or major and, which can be addressed by further development by the establishment.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based review or at the time of the next inspection.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventative action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site-visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of your proposed action plan you will be notified of the follow-up approach the HTA will take.