

Site visit inspection report on compliance with HTA minimum standards

Wye Valley Hospital

HTA licensing number 12409

Licensed under the Human Tissue Act 2004 for the

- **making of a post mortem examination;**
- **removal from the body of a deceased person (otherwise than in the course of an anatomical examination or post-mortem examination) of relevant material of which the body consists or which it contains, for use for a scheduled purpose other than transplantation; and**
- **storage of the body of a deceased person or relevant material which has come from a human body for use for a scheduled purpose**

06 May 2015

Summary of inspection findings

The HTA found the Designated Individual, the Licence Holder, the premises and the practices to be suitable in accordance with the requirements of the legislation.

Wye Valley Hospital (the establishment) was found to have met all HTA standards.

Particular examples of strengths and good practice are included in the concluding comments section of the report.

The HTA's regulatory requirements

The HTA must assure itself that the Designated Individual, Licence Holder, premises and practices are suitable.

The statutory duties of the Designated Individual are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. The HTA inspects the establishments it licences against four groups of standards:

- consent
- governance and quality systems
- premises facilities and equipment
- disposal.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that a standard is not met, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is given to the DI.

Reports of HTA inspections carried out from 1 November 2010 are published on the HTA's website.

Background to the establishment and description of inspection activities undertaken

Licensed activities take place within the Wye Valley NHS Trust's Pathology Laboratory Department, which has managerial responsibility for the mortuary located at the County Hospital. The full name of this hospital is The County Hospital, Wye Valley NHS Trust also known locally as Hereford County Hospital. The mortuary carries out approximately 320 post mortem (PM) examinations per annum. The majority of these are undertaken on behalf of the Hereford Coroner. Only two hospital (consented) PM examinations were carried out in the past 12 months. All paediatric cases for PM examination are transferred to another HTA licensed establishment.

The designated individual (DI) is a consultant pathologist; he is assisted by a team of staff in the pathology laboratory and the mortuary, which is staffed by the Mortuary Manager and one anatomical pathology technician (APT). Porters are trained in duties such as the receipt of bodies and viewings of the deceased. Release of bodies is tightly controlled and relies on a minimum of four identifiers: name; address; date of birth; and either hospital number or mortuary number in the case of deaths in the community.

The body storage area has thirty six spaces including four bariatric spaces and four freezer spaces. The fridges are double ended and lead into the post mortem suite, which has two down draft tables. The post mortem suite has a fully enclosed viewing area used by medical staff or police officers as required.

Pathologists identify the deceased and conduct an external examination before undertaking PM examinations. One PM examination is conducted at a time to avoid any mix up of tissues. When tissue is retained, the pathologist trims and cassettes the samples in the mortuary. The cassettes are sent to the laboratory with the histology request form.

The establishment uses a system of codes representing the tissue disposal options for both coronial and hospital PM examinations and has developed a flow diagram which explains how the codes are used to indicate the disposal wishes of the family of the deceased. For each option, the code indicates the length of time that the samples will be retained before the family's wishes are carried out. The codes are recorded in the histology post mortem log and regular checks of the log are made to ensure timely disposal of tissues.

This was the establishment's second routine inspection. The inspection encompassed a visual inspection of the mortuary, including the body storage area, PM suite and laboratory, a document review and interviews with staff. The maternity ward and bereavement office were also visited.

Traceability audits were also completed during the inspection. The first consisted of a simple body storage audit; whereby two names were selected from the whiteboard and the details on the wrist and foot identification tags were checked against those in the register. The second audit was conducted in the histology laboratory; an audit of the tissues retained and / or disposed of after histological examination was carried out. Paperwork, including consent forms, was checked against the histology post mortem log for two recent hospital PM examinations and one coroner's PM examination. In addition one set of stored blocks was traced back to the histology post mortem log. No anomalies were found.

Inspection findings

The HTA found the Designated Individual and the Licence Holder to be suitable in accordance with the requirements of the legislation.

Compliance with HTA standards

All applicable HTA standards have been assessed as fully met.

Advice

The HTA advises the DI to consider the following to further improve practices:

No.	Standard	Advice
1.	GQ1	<p>The DI is advised to appoint a Person Designated (PD) to cover the Maternity / Gynaecology wards. This will ensure that licensed activities taking place in these areas are brought within the governance arrangements relating to HTA licensed activities, for example by their attendance at meetings where HTA issues are discussed.</p> <p>Perinatal PM examinations are undertaken at another HTA licensed establishment. The PD should be encouraged to attend consent training provided by that establishment in order to keep up to date with any changes to consent procedures and to further develop links with staff responsible for undertaking PM examinations at that establishment.</p>

2.	GQ1	<p>The DI is advised to consider updating the following SOPs to reflect current practices:</p> <ul style="list-style-type: none"> • The SOP on receipt of patients should be updated to reflect the fact that porters do not fill in the mortuary register. Porters complete a porter's sheet and information is transcribed to the mortuary register by mortuary staff following appropriate checks on the deceased patient's identity. • The SOP on the handling and disposal of fetal material and products of conception does not outline the process used and explanation of disposal options given to the mothers/parents. The HTA has produced new national guidance on the disposal of pregnancy remains, which should inform disposal practice (insert link). • The SOP on the use of temporary mortuary storage states that temperature monitoring should be carried out as for the permanent fridges. The temporary storage actually has more frequent manual temperature checks during use to compensate for the fact that it is not alarmed.
3.	GQ7	<p>The SOP that describes the process of alerting the HTA of reportable incidents states that the nominated person will report incidents in the absence of the DI. The nominated person must be registered on the HTA portal in order that they can report incidents.</p>
4.	GQ8	<p>Although a risk assessment was undertaken when the temporary mortuary storage was introduced during the period of winter pressures, the assessment did not cover all associated risks. The use of the temporary storage meant that the movement of bodies into and out of the mortuary could not be facilitated using the normal roller door entrance and an alternative route was used; the risks associated with the prolonged use of this route through a side entrance should be included in the risk assessment.</p>
5.	PFE1	<p>The DI should consider making improvements to the body store doors so that they are never open at the same time as the door to the hospital corridor. This will prevent accidental viewing of the mortuary facility from the corridor.</p>
6.	PFE1	<p>The DI should consider taking measures to record or monitor all visitors to the mortuary. Contractors, who are often unaccompanied, regularly visit the area to access engineering panels installed in the mortuary. The DI could consider introducing a visitors log to record their visits or consider installing CCTV cameras.</p> <p>In addition family members attending the mortuary to view the deceased could enter the body storage area if left unattended. The DI is advised to take steps to ensure access to this area is prevented</p>

Concluding comments

The Wye Valley Hospital Mortuary has robust procedures in place for the receipt and release of bodies. The establishment has a designated member of staff who oversees the systems in place to trace material between the mortuary and the histology laboratory. The clear coding system enables staff to quickly identify the intended retention and disposal wishes relating to each sample. The histology post mortem log is reviewed regularly to update the status of any tissue blocks or slides in storage, thereby ensuring timely disposal. The DI has good communication with the rest of the team who work under the licence and regularly carries out training sessions covering HTA and consent for others at the hospital.

The HTA has given advice to the Designated Individual with respect to governance and Quality and Premises, Facilities and Equipment.

The HTA has assessed the establishment as suitable to be licensed for the activities specified.

Report sent to DI for factual accuracy: 01 June 2015

Report returned from DI: No factual accuracy or request for redaction comments were made by the DI

Final report issued: 22 June 2015

Appendix 1: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

Consent standards
C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the code of practice
<ul style="list-style-type: none">• There is a documented policy which governs consent for post-mortem examination and the retention of tissue and reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.• There is a documented SOP detailing the consent process (including who is able to take consent, what training they must receive, and what information must be provided to those giving consent for post-mortem examination).• There is written information about the consent process (provided to those giving consent), which reflects the requirements of the HT Act and the latest version of the HTA Code of Practice on consent.
C2 Information about the consent process is provided and in a variety of formats
<ul style="list-style-type: none">• Relatives are given an opportunity to ask questions.• Relatives are given an opportunity to change their minds and it is made clear who should be contacted in this event.• Information contains clear guidance on options for how tissue may be handled after the post-mortem examination (repatriated with the body, returned to the family for burial/cremation, disposed of or stored for future use).• Where consent is sought for tissue to be retained for future use, information is provided about the potential uses in order to ensure that informed consent is obtained.• Information on the consent process is available in different languages and formats, or there is access to interpreters/translators.
C3 Staff involved in seeking consent receive training and support in the implications and essential requirements of taking consent
<ul style="list-style-type: none">• There is a training programme for taking consent for post-mortem examination and tissue retention which addresses the requirements of the HT Act and HTA code of practice on consent.• Refresher training is available (e.g. annually).• Attendance at consent training is documented.• If untrained staff are involved in consent taking, they are always accompanied by a trained individual.

Governance and quality system standards

GQ1 All aspects of the establishments work are supported by ratified documented policies and procedures as part of the overall governance process

- Documented policies and SOPs cover all mortuary/laboratory procedures relevant to the licensed activity. These may include:
 - post-mortem examination, including the responsibilities of the APTs and Pathologists (e.g. evisceration) and management of high risk cases
 - record keeping
 - receipt and release of bodies, which reflect out of hours arrangements
 - lone working in the mortuary
 - transfer of bodies and tissue (including blocks and slides) to other establishments or off site
 - ensuring that tissue is handled in line with documented wishes of the relatives
 - disposal of tissue (including blocks and slides)

(Note that individual SOPs for each activity are not required. Some SOPs will cover more than one activity.)
- Policies and procedures are regularly reviewed (for example, every 1-3 years).
- There is a system for recording that staff have read and understood the latest versions of these documents.
- Deviations from documented SOPs are recorded and monitored.

GQ2 There is a documented system of quality management and audit

- There is a quality manual which includes mortuary activities.
- Policies and SOPs are version controlled (and only the latest versions available for use).
- There is a schedule for audits to be carried out (which may include vertical and/or horizontal audits).
- Audits include compliance with documented procedures, records (for completeness) and traceability.
- Audit findings document who is responsible for follow up actions and the timeframe for completing those actions.
- Regular audits of tissue being stored at the establishment ensure that staff are fully aware what material is held and why.
- There is a complaints system in place.

GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills

- Staff are appropriately trained/qualified or supervised.
- Staff have annual appraisals.
- Staff are given opportunities to attend training courses, either internally or externally.
- Attendance by staff at training events is recorded.

- There is a documented training programme for new mortuary staff (e.g. competency checklist).

GQ4 There is a systematic and planned approach to the management of records

- There is a system for managing records which includes which records must be maintained, how they are backed up, where records are kept, how long each type of record is retained and who has access to each type of record.
- There are documented SOPs for record management.

GQ6 A coding and records system facilitates traceability of bodies, body parts, tissues and cells, ensuring a robust audit trail

- Bodies are tagged/labelled upon arrival at the mortuary.
- There is a system to track each body from admission to the mortuary to release for burial or cremation (e.g. mortuary register, patient file, transport records).
- Organs and tissue samples taken during PM examination are fully traceable.
- Details of organs retained and the number of wax blocks and tissue slides made are recorded.
- The traceability system includes the movement of tissue samples between establishments.
- Details are recorded of tissue that is repatriated or released with the body for burial or cremation.
- Regular audits of tissue storage and traceability are undertaken to ensure compliance with operational procedures; tissue samples found which are not being stored with consent are disposed of with reference to the family's wishes.
- Multiple identifiers used, including at least one unique identifier (e.g. post mortem number, name, dates of birth/death, etc) to identify bodies and tissue.

GQ7 There are systems to ensure that all adverse events, reactions and / or incidents are investigated promptly

- Staff are trained in how to use the incident reporting system.
- Staff know how to identify incidents and near-misses which must be reported, including those that must be reported to the HTA
- The incident reporting system clearly outline responsibilities for reporting, investigating and follow up for incidents.
- The incident reporting system ensures that follow up actions are identified (i.e. corrective and preventative actions) and completed.
- Information about incidents is shared with all staff (including the reporter) to avoid repeat errors.

GQ8 Risk assessments of the establishment's practices and processes are completed regularly and are recorded and monitored appropriately

- All procedures related to the licensed activities (as outlined in standard GQ1) are risk assessed.
- Risk assessments include risks associated with non-compliance with HTA standards as well as health and safety risks.

- Risk assessments are reviewed regularly (along with SOPs), for example every 1-3 years.
- Risk assessments include how to mitigate the identified risks; this includes actions that need to be taken, who is responsible for each action, deadlines for completing actions and confirmation that actions have been completed.

Premises, facilities and equipment standards

PFE1 The premises are fit for purpose

- There is sufficient space for the activities to be carried out.
- Refrigerated storage units are in good working condition and well maintained.
- Surfaces are made of non-porous materials.
- The premises are in reasonable condition (structure and cleanliness of floors, walls, entranceways).
- The premises are secure (e.g. there is controlled access to bodies, tissue, equipment and records).

PFE 2 Environmental controls are in place to avoid potential contamination

- There is clear separation of clean, transitional and dirty zones (e.g. doors, floor markings, signs).
- There is appropriate PPE available and routinely worn by staff.
- There is adequate critical equipment and/or PPE available for high risk post mortems.
- There are documented cleaning and decontamination procedures.
- There are documented cleaning schedule and records of cleaning and decontamination.

PFE3 There are appropriate facilities for the storage of bodies, body parts, tissues and cells, consumables and records.

- There is sufficient capacity for storage of bodies, organs and tissues.
- Temperatures of fridges and freezers are monitored on a regular basis.
- There are documented contingency plans in place should there be a power failure, or overflow.
- Bodies are shrouded whilst in storage.
- There is separate storage for infants and babies. If not, special measures are taken for the bodies of infants and babies.

PFE 4 Systems are in place to protect the quality and integrity of bodies, body parts, tissues and cells during transport and delivery to a destination

- There are documented procedures for transportation of bodies and tissue anywhere outside the mortuary (e.g. lab, other establishment), including record-keeping requirements.
- There are written agreements in place with any external parties (e.g. undertaker, or courier) who transport bodies and/or tissue behalf of the establishment (laboratory or mortuary).

(Note that coroners usually have their own agreements with external parties for transportation bodies and tissue; however, documentation for traceability purposes must still be maintained by the establishment for these cases.)

PFE5 Equipment is appropriate for use, maintained, quality assured, validated and where appropriate monitored

- Items of equipment in the mortuary are in a good condition and appropriate for use:
 - fridges / Freezers
 - hydraulic trolleys
 - post mortem tables
 - hoists
 - saws (manual and/or oscillating)
 - PPE for high risk cases (e.g. respirators)
- The use of porous materials is kept to a minimum and has been risk assessed
- Maintenance/service records are kept for equipment, including fridges/freezers, trolleys, post mortem tables (if draught) and post mortem suite ventilation.

(Note: These records may be held by the mortuary or centrally by the Trust, e.g. Estates Department.)

Disposal Standards

D1 There is a clear and sensitive policy for disposing of human organs and tissue

- There is a documented Trust or mortuary/laboratory policy for the disposal of human tissue, which reflects the requirements of the HTA code of practice on disposal.
- The policy states the position with regard to the retention and use of microscope slides, and in particular that tissue slides must be disposed of or returned to the family in accordance with their wishes if consent is not obtained for their continued storage and future use once the PM has concluded.

D2 PM tissue is disposed of if consent is not given for its storage and use for scheduled purposes

- There are documented procedures for disposal of human tissue, which include methods of disposal for whole organs, wet tissue, wax blocks and microscope slides.
- Tissue is disposed of in accordance with the documented wishes of the deceased person's family.
- Disposal details of organs and tissue blocks are recorded, including the date and method of disposal.
- There is a rolling programme of tissue disposal that ensures that tissue, including microscope slides, is disposed of in a timely fashion when it is no longer needed for the purposes of the Coroner or to determine the cause of death.

Appendix 2: Classification of the level of shortfall

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the HT Act or associated Directions.

1. Critical shortfall:

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the Human Tissue Act 2004 (HT Act) or associated Directions

or

A combination of several major shortfalls, none of which is critical on its own, but which together could constitute a critical shortfall and should be explained and reported as such.

A critical shortfall may result in one or more of the following:

- (1) A notice of proposal being issued to revoke the licence
- (2) Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- (3) A notice of suspension of licensable activities
- (4) Additional conditions being proposed
- (5) Directions being issued requiring specific action to be taken straightaway

2. Major shortfall:

A non-critical shortfall that:

- poses a risk to human safety and/or dignity, or
- indicates a failure to carry out satisfactory procedures, or
- indicates a breach of the relevant CoPs, the HT Act and other relevant professional and statutory guidelines, or
- has the potential to become a critical shortfall unless addressed

or

A combination of several minor shortfalls, none of which is major on its own, but which, together, could constitute a major shortfall and should be explained and reported as such.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

3. Minor shortfall:

A shortfall which cannot be classified as either critical or major, but which indicates a departure from expected standards.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based or site visit.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

Follow up actions

A template corrective and preventative action plan will be sent as a separate Word document with both the draft and final inspection report. You must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site-visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next desk-based or site-visit inspection.

After an assessment of your proposed action plan you will be notified of the follow-up approach the HTA will take.