



**BioGrad Biobank**  
Proposed HTA licensing number 22707

Application for a licence under the Human Tissue Act 2004

**Activity to be licensed**

<b>Area</b>	<b>Storage of relevant material which has come from a human body for use for a scheduled purpose</b>	<b>Removal from the body of a deceased person (otherwise than in the course of an anatomical examination or post-mortem examination) of relevant material of which the body consists or which it contains, for use for a scheduled purpose other than transplantation</b>
<b>BioGrad Biobank</b>	Applied to be licensed	Not applied to be licensed

**Summary of assessment findings**

The HTA found the proposed Designated Individual (DI) and the proposed Licence Holder (LH) to be suitable in accordance with the requirements of the legislation.

Although the HTA found that BioGrad Biobank (the 'establishment') had met the majority of the HTA's standards, two minor shortfalls were found against the standards for Governance and quality systems (risk assessments) and Traceability (transport agreements).

The HTA has assessed the establishment as suitable to be licensed for the activities specified, subject to corrective and preventative actions being implemented to meet the shortfall identified during the licence application assessment.

## Compliance with HTA standards

### *Minor Shortfalls*

#### Governance and quality system standards

Standard	Visit findings	Level of shortfall
GQ6 Risk assessments of the establishment's practices and processes are completed regularly, recorded and monitored		
a) There are documented risk assessments for all practices and processes requiring compliance with the HT Act and the HTA's Codes of Practice.	The establishment has undertaken health and safety risk assessments associated with the handling and storage of relevant material. However, the risk assessments do not extend to risks relating to the premises, practices and procedures connected with licensed activities involving human tissue.	<b>Minor</b>

## Traceability

T1 A coding and records system facilitates the traceability of bodies and human tissue, ensuring a robust audit trail		
f) Records of any agreements with courier or transport companies are kept.	The establishment was not able to provide the agreement with one of the transport providers they intend to use.	<b>Minor</b>

## Advice and Guidance

The HTA advises the proposed DI to consider the following to further improve practices:

Number	Standard	Advice
1.	C1(c)	The establishment will be receiving relevant material from third party suppliers under the terms of agreements. To provide further assurance that appropriate and valid consent is in place, the proposed DI is advised to obtain blank copies of the participant information sheet and consent form from each supplier.
2	GQ5(a)	The proposed DI is advised to consider adding a section to the Standard Operating Procedure that covers adverse events to support staff in recognising adverse events relevant to activities regulated by the HTA. Relevant examples of adverse events include: <ul style="list-style-type: none"><li>• specimen loss</li><li>• missing or incorrect documentation</li><li>• security breach</li><li>• abnormalities in storage temperature readings</li><li>• inappropriate disposal</li></ul>
3.	T1(b)	In addition to the plans to store relevant material under an HTA licence, the establishment may also store material that is exempted from HTA licensing requirements, from HRA-approved Research Tissue Banks and under other approvals from recognised Research Ethics Committees (RECs). To improve awareness and oversight of storage for all material, the proposed DI is advised to record and track the expiry dates of REC approvals, and any other limitations on the use and / or storage of the material.
4.	PFE2(c)	The establishment has a continuous temperature monitoring system for its storage units. The proposed DI is advised to consider regular challenging of the temperature alarm callout system and the audible temperature alarms to ensure that they function as expected.

## **Background**

BioGrad Biobank ('the establishment') is a privately held company that has applied for an HTA licence to store relevant material which has come from a human body for use for scheduled purposes. The establishment intends to provide a storage service and will receive relevant material from research tissue banks and hospitals.

## **Description of activities undertaken during the assessment**

The HTA's regulatory requirements are set out in Appendix 1. The following areas were covered during the assessment:

### *Standards assessed against during the assessment*

There are 47 standards in the Research sector, of which 38 were assessed. Standards C1(a), C1(d), C1(e), C1(f), C2(a), C2(b), C2(c) and PFE2(b) were not assessed as the establishment does not intend to directly seek consent or to store material from the deceased (standards published 3 April 2017).

### *Review of governance documentation*

The following documents were reviewed: policies and procedural documents relating to the activity to be licensed; temperature monitoring records; freezer servicing records; contingency arrangements; and courier agreement.

The review of information related to the quality management system included: document control; meetings; the management of audits; staff training records; the management of adverse events and complaints; and risk assessments.

### *Visual inspection*

The visit included a visual inspection of the areas where the establishment proposes to undertake the licensable activity. This included the storage areas (containing seven -80°C freezers) where relevant material will be received into the establishment and stored. The

temperature monitoring system, temperature excursion alert system and the in-house laboratory information management system were also reviewed.

*Meetings with establishment staff*

The assessment included a meeting with the following staff: proposed DI, proposed CLH contact, Laboratory Scientist, IT and Management staff.

**Report sent to proposed DI for factual accuracy: 19 December 2022**

**Report returned from proposed DI: 20 December 2022**

**Final report issued: 21 December 2022**

## **Appendix 1: The HTA's regulatory requirements**

Prior to the grant of a licence, the HTA must assure itself that the DI is a suitable person to supervise the activity authorised by the licence and that the premises are suitable for the activity.

The statutory duties of the DI are set down in Section 18 of the Human Tissue Act 2004. They are to secure that:

- the other persons to whom the licence applies are suitable persons to participate in the carrying-on of the licensed activity;
- suitable practices are used in the course of carrying on that activity; and
- the conditions of the licence are complied with.

Its programme of site visit inspections to assess compliance with HTA licensing standards is one of the assurance mechanisms used by the HTA.

The HTA developed its licensing standards with input from its stakeholders. They are designed to ensure the safe and ethical use of human tissue and the dignified and respectful treatment of the deceased. They are grouped under four headings:

- consent
- governance and quality systems
- traceability
- premises facilities and equipment.

This is an exception-based report: only those standards that have been assessed as not met are included. Where the HTA determines that there has been a shortfall against a standard, the level of the shortfall is classified as 'Critical', 'Major' or 'Minor' (see Appendix 2: Classification of the level of shortfall). Where HTA standards are fully met, but the HTA has identified an area of practice that could be further improved, advice is provided.

HTA inspection reports are published on the HTA's website.

## **Appendix 2: Classification of the level of shortfall**

Where the HTA determines that a licensing standard is not met, the improvements required will be stated and the level of the shortfall will be classified as 'Critical', 'Major' or 'Minor'. Where the HTA is not presented with evidence that an establishment meets the requirements of an expected standard, it works on the premise that a lack of evidence indicates a shortfall.

The action an establishment will be required to make following the identification of a shortfall is based on the HTA's assessment of risk of harm and/or a breach of the Human Tissue Act 2004 (HT Act) or associated Directions.

### **1. Critical shortfall:**

A shortfall which poses a significant risk to human safety and/or dignity or is a breach of the HT Act or associated Directions  
*or*

A combination of several major shortfalls, none of which is critical on its own, but which together could constitute a critical shortfall and should be explained and reported as such.

A critical shortfall may result in one or more of the following:

- A notice of proposal being issued to revoke the licence
- Some or all of the licensable activity at the establishment ceasing with immediate effect until a corrective action plan is developed, agreed by the HTA and implemented.
- A notice of suspension of licensable activities
- Additional conditions being proposed
- Directions being issued requiring specific action to be taken straightaway

### **2. Major shortfall:**

A non-critical shortfall that:

- poses a risk to human safety and/or dignity, or
- indicates a failure to carry out satisfactory procedures, or
- indicates a breach of the relevant Codes of Practice, the HT Act and other relevant professional and statutory guidelines, or



- has the potential to become a critical shortfall unless addressed

*or*

A combination of several minor shortfalls, none of which is major on its own, but which, together, could constitute a major shortfall and should be explained and reported as such.

In response to a major shortfall, an establishment is expected to implement corrective and preventative actions within 1-2 months of the issue of the final inspection report. Major shortfalls pose a higher level of risk and therefore a shorter deadline is given, compared to minor shortfalls, to ensure the level of risk is reduced in an appropriate timeframe.

### **3. Minor shortfall:**

A shortfall which cannot be classified as either critical or major, but which indicates a departure from expected standards.

This category of shortfall requires the development of a corrective action plan, the results of which will usually be assessed by the HTA either by desk based review or at the time of the next site visit.

In response to a minor shortfall, an establishment is expected to implement corrective and preventative actions within 3-4 months of the issue of the final inspection report.

### **Follow up actions**

A template corrective and preventative action plan will be sent as a separate Word document with the final inspection report.

Establishments must complete this template and return it to the HTA within 14 days of the issue of the final report.

Based on the level of the shortfall, the HTA will consider the most suitable type of follow-up of the completion of the corrective and preventative action plan. This may include a combination of

- a follow-up site visit inspection
- a request for information that shows completion of actions
- monitoring of the action plan completion
- follow up at next routine site visit inspection.

After an assessment of the proposed action plan establishments will be notified of the follow-up approach the HTA will take.

### Appendix 3: HTA standards

The HTA standards applicable to this establishment are shown below; those not assessed during the inspection are shown in grey text. Individual standards which are not applicable to this establishment have been excluded.

#### Human Tissue Act 2004 standards

##### Consent

Standard
C1 Consent is obtained in accordance with the requirements of the Human Tissue Act 2004 (HT Act) and as set out in the code of practice
b) Consent forms are available to those using or releasing relevant material for a scheduled purpose.
c) Where applicable, there are agreements with other parties to ensure that consent is obtained in accordance with the requirements of the HT Act and the HTA's Codes of Practice.

##### Governance and Quality

Standard
GQ1 All aspects of the establishments work are governed by documented policies and procedures as part of the overall governance process
a) Ratified, documented and up-to-date policies and procedures are in place, covering all licensable activities.
b) There is a document control system.

c) There are change control mechanisms for the implementation of new operational procedures.
d) Matters relating to HTA-licensed activities are discussed at regular governance meetings, involving establishment staff.
e) There is a system for managing complaints.
GQ2 There is a documented system of audit
a) There is a documented schedule of audits covering licensable activities.
b) Audit findings include who is responsible for follow-up actions and the timeframes for completing these.
GQ3 Staff are appropriately qualified and trained in techniques relevant to their work and are continuously updating their skills
a) Qualifications of staff and all training are recorded, records showing attendance at training.
b) There are documented induction training programmes for new staff.
c) Training provisions include those for visiting staff.
d) Staff have appraisals and personal development plans.
GQ4 There is a systematic and planned approach to the management of records
a) There are suitable systems for the creation, review, amendment, retention and destruction of records.
b) There are provisions for back-up / recovery in the event of loss of records.
c) Systems ensure data protection, confidentiality and public disclosure (whistleblowing).
GQ5 There are systems to ensure that all adverse events are investigated promptly

a) Staff are instructed in how to use incident reporting systems.
b) Effective corrective and preventive actions are taken where necessary and improvements in practice are made.
GQ6 Risk assessments of the establishment's practices and processes are completed regularly, recorded and monitored
a) There are documented risk assessments for all practices and processes requiring compliance with the HT Act and the HTA's Codes of Practice.
b) Risk assessments are reviewed regularly.
c) Staff can access risk assessments and are made aware of risks during training.

## Traceability

<b>Standard</b>
T1 A coding and records system facilitates the traceability of bodies and human tissue, ensuring a robust audit trail
a) There is an identification system which assigns a unique code to each donation and to each of the products associated with it.
b) A register of donated material, and the associated products where relevant, is maintained.
c) An audit trail is maintained, which includes details of: when and where the bodies or tissue were acquired and received; the consent obtained; all sample storage locations; the uses to which any material was put; when and where the material was transferred, and to whom.
d) A system is in place to ensure that traceability of relevant material is maintained during transport.

e) Records of transportation and delivery are kept.
f) Records of any agreements with courier or transport companies are kept.
g) Records of any agreements with recipients of relevant material are kept.
T2 Bodies and human tissue are disposed of in an appropriate manner
a) Disposal is carried out in accordance with the HTA's Codes of Practice.
b) The date, reason for disposal and the method used are documented.

### Premises, facilities and equipment

<b>Standard</b>
PFE1 The premises are secure and fit for purpose
a) An assessment of the premises has been carried out to ensure that they are appropriate for the purpose.
b) Arrangements are in place to ensure that the premises are secure and confidentiality is maintained.
c) There are documented cleaning and decontamination procedures.
PFE2 There are appropriate facilities for the storage of bodies and human tissue
a) There is sufficient storage capacity.
c) Storage conditions are monitored, recorded and acted on when required.
d) There are documented contingency plans in place in case of failure in storage area.

PFE3 Equipment is appropriate for use, maintained, validated and where appropriate monitored

- a) Equipment is subject to recommended calibration, validation, maintenance, monitoring, and records are kept.
- b) Users have access to instructions for equipment and are aware of how to report an equipment problem.
- c) Staff are provided with suitable personal protective equipment.